



US00D713873S

(12) **United States Design Patent**
Riddle et al.

(10) **Patent No.:** **US D713,873 S**

(45) **Date of Patent:** **** Sep. 23, 2014**

(54) **CONICAL SHAPED SENSORY DEVICE**

(71) Applicants: **Erin K. Riddle**, Butler, OH (US); **Staci Smalley**, Ashland, OH (US)

(72) Inventors: **Erin K. Riddle**, Butler, OH (US); **Staci Smalley**, Ashland, OH (US)

(73) Assignee: **Ball, Bounce & Sport, Inc.**, Ashland, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/480,244**

(22) Filed: **Jan. 24, 2014**

(51) **LOC (10) Cl.** **19-07**

(52) **U.S. Cl.**
USPC **D19/59**

(58) **Field of Classification Search**
CPC .. A61H 15/00; A61H 15/0092; A63F 9/0826; A01K 15/025; A01K 15/026; A63B 43/002; A63B 41/08; G09B 21/00; G09B 19/00
USPC D19/59-64; D24/211-215, 200; D21/712-713, 662; D30/160; 434/112, 434/258-262, 365, 236; 601/15, 119, 123, 601/131, 135; 273/153 S; 119/710
See application file for complete search history.

D285,117 S * 8/1986 Snyder D24/211
D285,724 S * 9/1986 Grundler et al. D24/211
D287,405 S * 12/1986 Nakao et al. D24/211
D293,471 S * 12/1987 Sato D24/211
D337,398 S * 7/1993 Axelrod D30/160
5,263,436 A * 11/1993 Axelrod 119/710
D344,591 S * 2/1994 Zhuang D24/211
D352,323 S * 11/1994 Weiss D21/713
5,389,063 A * 2/1995 Wu 601/135
D361,132 S * 8/1995 Lee D24/200
D369,414 S * 4/1996 Lee D24/200
D376,449 S * 12/1996 Axelrod D30/160
D399,569 S * 10/1998 Wier et al. D24/212
D421,078 S * 2/2000 Weiss, Jr. D21/713
D473,683 S * 4/2003 Willinger D30/160
D478,367 S * 8/2003 Traub D21/713
D478,947 S * 8/2003 Lu D21/662
D497,457 S * 10/2004 Willinger D30/160
6,966,883 B2 * 11/2005 Pidcock 601/123
D529,667 S * 10/2006 Axelrod D30/160
7,517,324 B2 * 4/2009 Cohen 601/15
D598,562 S * 8/2009 Chen D24/211
D625,426 S * 10/2010 Robins D24/214
D643,540 S * 8/2011 Jian et al. D24/211

(Continued)

Primary Examiner — T. Chase Nelson
Assistant Examiner — Mark Cavanna
(74) *Attorney, Agent, or Firm* — LaMorte & Associates P.C.

(57) **CLAIM**
The ornamental design for a conical shaped sensory device, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D60,979 S * 5/1922 Cigol D21/713
2,273,710 A * 2/1942 Klaes 601/119
3,037,500 A * 6/1962 Daugherty 601/121
4,109,649 A * 8/1978 Iyomasa 601/121
4,167,940 A * 9/1979 Ruf 601/122
4,191,178 A * 3/1980 Wisniewski 601/131
D256,841 S * 9/1980 Corbett et al. D24/211
D257,883 S * 1/1981 Holmberg D24/212
4,378,007 A * 3/1983 Kachadourian 601/121

DESCRIPTION

FIG. 1 is a perspective view of a conical shaped sensory device showing my new design;
FIG. 2 is a front view thereof, the rear view being the same;
FIG. 3 is a left side view thereof, the right side view being the same;
FIG. 4 is a top view thereof; and,
FIG. 5 is a bottom view thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D660,450	S	*	5/2012	Johnson	D24/215	8,387,984	B2	*	3/2013	Artsiely	273/153	S
D674,107	S	*	1/2013	Prudent et al.	D24/211	D692,569	S	*	10/2013	Samurin	D24/214	
D677,439	S	*	3/2013	Renforth	D30/160	D694,421	S	*	11/2013	Anderson	D24/215	
D677,441	S	*	3/2013	Renforth	D30/160	D695,370	S	*	12/2013	Hedeen, Jr.	D21/712	
							D695,371	S	*	12/2013	Hedeen, Jr.	D21/713	
							2003/0204153	A1	*	10/2003	Chen	601/119	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5